



Misha Sweater

by Fran Morgan



Misha Sweater

By Fran Morgan

MATERIALS

Scheepjes Stone Washed Minerals

(78% Cotton, 22% Acrylic; 50g/130m)

Yarn A 903 Sapphire Serenade x 3 (4: 4: 4: 5) balls

Yarn B 907 Amethyst Mist x 3 (3: 3: 4: 4) balls

Yarn C 905 Limestone Lush x 3 (3: 3: 4: 4) balls

Yarn D 908 Rhodonithe Radiance x 3 (3: 3: 4: 4) balls

Scheepjes Stone Washed

(78% Cotton, 22% Acrylic; 50g/130m)

Yarn E 813 Amazonite x 1 (1: 1: 2: 2) ball(s)

5mm crochet hook

Stitch markers

GAUGE/TENSION

17 sts and 10 rows to measure 10 x 10cm over patt using a 5mm hook

CROCHET TERM CONVERSIONS

UK	US
dc double crochet	sc single crochet
dc2tog double crochet 2 together	sc2tog single crochet 2 together
dtr double treble crochet	tr treble crochet
htr half treble crochet	hdc half double crochet
tr treble crochet	dc double crochet

ABBREVIATIONS (UK TERMS)

[] number of sts on a given row/round

approx. approximately

beg begin(ning)

blo back loop(s) only: insert hook under back

loop(s) only

ch(s) chain(s)

cont continue

dc double crochet

dc2tog double crochet 2 tog to dec by 1 st: (insert hook in next st/sp, yoh, pull up loop) twice, yoh, draw through all loops

dec decrease(d)/decreasing

dtr double treble crochet

htr half treble crochet

inc increase(d)/increasing

patt pattern(s)

pm place stitch marker(s)

rep repeat(s)

RS right side

sk skip

ss slip stitch(es)

st(s) stitch(es)

tog together

tr treble crochet

WS wrong side

yoh yarn over hook

(.....) x times/to end work instructions between brackets the total number of times stated *; **rep from * once more/to end** work instructions after * and then repeat that section as specified; the same applies to any number of asterisks: **; rep from ** etc.

PATTERN NOTES

Back and Front are worked in rows. Sleeves are worked in the round.

Front, Back and Sleeves have a row that is worked on top and bottom, to level edge of patt.

MEASUREMENTS

Size		S	M	L	XL	XXL
To fit bust	(cm)	81-86	91.5-96.5	101.5-106.5	111.5-117	122-127
	(in)	32-34	36-38	40-42	44-46	48-50
Actual bust	(cm)	92	102	112	122	132
	(in)	36¼	40¼	44	48	52
Actual length	(cm)	53	54	55	56	57
	(in)	21	21¼	21½	22	22½
Sleeve seam	(cm)	47	47	47	47	47
	(in)	18½	18½	18½	18½	18½



Ss ribbing using the JAYG (join-as-you-go) method is attached after pieces have been worked. Rib is worked at a right angle to the piece and is attached to hem edge by ss.

INSTRUCTIONS

Back

Using 5mm hook and Yarn A, ch81 (92: 98: 107: 115).

Foundation row (RS) 1dc in second ch from hook, 1dc in each ch to end, turn. [80 (91: 97: 106: 114) dc]

Row 1 (WS) Ch3 (does not count as st throughout), 1tr in next 6 (3: 6: 2: 6) sts, *2tr in each of next 3 sts, sk 1 st, (1tr in next st, sk 1 st) 5 times, 2tr in each of next 3 sts; rep from * 3 (4: 4: 5: 5) more times, 1tr in next 6 (3: 6: 2: 6) sts, turn. [80 (91: 97: 106: 114) tr]

Row 2 Ch1, 1dc in each st to end, turn.

Rows 1-2 set patt.

Cont in patt until work measures approx. 12cm.

Change to Yarn B.

Cont in patt until work measures approx. 24cm.

Change to Yarn C.

Cont in patt until work measures approx. 36cm.

Change to Yarn D.**

Cont in patt until work measures approx. 48 (49: 50: 51: 52)cm and finish after a Row 2. Next row levels edge.

Next row (WS) Ch1, 1dc in next 6 (3: 6: 2: 6) sts, *(3dc, 2htr, 3tr, 1dtr, 3tr, 2htr, 3dc); rep from * to last 6 (3: 6: 2: 6) sts, 1dc in each st to end. [12 (6: 12: 4: 12) dc and 4 (5: 5: 6: 6) patt reps of (3dc, 2htr, 3tr, 1dtr, 3tr, 2htr, 3dc)]
Fasten off.

Next row levels hem edge.

With WS facing, join Yarn A to other side of

starting chain at hem edge.

Next row Ch1, 1tr in next 6 (3: 6: 2: 6) sts, *(3tr, 2htr, 6dc, 2htr, 3tr, 1dtr); rep from * to last 6 (3: 6: 2: 6) sts, 1tr in each st to end. [12 (6: 12: 2: 12) tr and 4 (5: 5: 6: 6) patt reps of (3tr, 2htr, 6dc, 2htr, 3tr, 1dtr)]

Fasten off.

Pm either side of 30 (31, 31, 32, 34) sts at centre for Neck.

Ribbing (see Pattern Notes)

With RS facing, join Yarn E to first st of hem edge.

Ch10.

Row 1 Ch1, ss blo in each st to end, ss in next 2 sts of hem edge, turn. [10 ss along rib]

Row 2 Ch1, sk 2 ss of hem edge, ss blo in each st to end, turn.

Rep Rows 1-2 across hem edge.

Fasten off.

Front

Work as for Back until **.

Cont in patt until you have worked 7 rows less than Back, finishing after a Row 2.

Shape Neck

Next row (WS) Ch1, 1dc in next 6 (3: 6: 2: 6) sts, *(3dc, 2htr, 3tr, 1dtr, 3tr, 2htr, 3dc); rep from * to last 6 (3: 6: 2: 6) sts, 1dc in each st to end. [12 (6: 12: 4: 12) dc and 4 (5: 5: 6: 6) patt reps of (3dc, 2htr, 3tr, 1dtr, 3tr, 2htr, 3dc)]

Row 1 (RS) Ch3, 25 (30: 33: 35: 40)tr, turn and work on these sts only for left side. [25 (30: 33: 35: 40) tr]

Row 2 Ch1, 1dc in each st to end, turn. [25 (30: 33: 37: 40) dc]

Rep last 2 rows twice more, then rep Row 1 again.

Fasten off.

With RS facing, sk 30 (31: 31: 32: 34) sts and join yarn to next st.

Row 1 (RS) Ch3, 1tr in each st to end, turn. [25 (30: 33: 37: 40) tr]

Row 2 Ch1, 1dc in each st to end, turn. [25 (30: 33: 37: 40) dc]

Rep last 2 rows twice more, then rep Row 1 again.

Fasten off.

Next row levels hem edge.

With WS facing join Yarn A to other side of starting chain at hem edge.

Next row Ch1, 1tr in next 6 (3: 6: 2: 6) sts, *(3tr, 2htr, 6dc, 2htr, 3tr, 1dtr); rep from * to last 6 (3: 6: 2: 6) sts, 1tr in each st to end. [12 (6: 12: 4: 12) tr and 4 (5: 5: 6: 6) patt reps of (3tr, 2htr, 6dc, 2htr, 3tr, 1dtr)]

Fasten off.

Ribbing (see Pattern Notes)

With RS facing, join Yarn E to first st of hem edge.

Ch10.

Row 1 Ch1, ss blo in each st to end, ss across 2 sts of hem edge, turn. [10 ss for rib]

Row 2 Ch1, sk 2 ss of hem edge, ss blo in each st to end, turn.

Rep Rows 1-2 across hem edge.

Fasten off.



Sleeve (make 2)

Note: Sleeve is worked in the round and turned. Using 5mm hook and Yarn A, ch68 (72: 74: 78: 82).

Round 1 (RS) Ch1 (does not count as st throughout), 1dc in each ch around, ss in first dc to close, turn. [68 (72: 74: 78: 82) dc]

Round 2 Ch3 (does not count as st throughout), 0 (2: 3: 5: 7)tr, *2tr in each of next 3 sts, sk 1 st, (1tr in next st, sk 1 st) 5 times, 2tr in each of next 3 sts; rep from * 3 more times, 0 (2: 3: 5: 7)tr, ss to top of beg 3-ch, turn. [68 (72: 74: 78: 82) tr]

Round 3 Ch1, 1dc in each st around, ss in first dc, turn. [68 (72: 74: 78: 82) dc]
These last 2 rounds set patt.

Cont in patt until work measures approx. 11cm.

Change to Yarn B.

Cont in patt until work measures approx. 22cm.

Change to Yarn C.

Cont in patt until work measures approx. 33cm.

Change to Yarn D.

Cont in patt until work measures approx. 44cm.

Next round levels the edge.

Next round (WS) Ch1, 1dc in next 0 (2: 3: 5: 7) sts, *(3dc, 2htr, 3tr, 1dtr, 3tr, 2htr, 3dc); rep from * to last 0 (2: 3: 5: 7) sts, 0 (2: 3: 5: 7)dc, ss in first st. [0 (4: 6: 10: 14) dc and 4 patt reps of (3dc, 2htr, 3tr, 1dtr, 3tr, 2htr, 3dc)]
Fasten off.
Next round levels hem edge.

With WS facing, join Yarn A to other side of starting chain at hem edge at beg of round.

Next round Ch3 (does not count as st), 1tr in next 0 (2: 3: 5: 7) sts, *(3tr, 2htr, 6dc, 2htr, 3tr, 1dtr); rep from * to last 0 (2, 3, 5, 7) sts, 1tr in each st to end, ss in top of beg 3-ch to join. [0 (4: 6: 10: 14) tr and 4 patt reps of (3tr, 2htr, 6dc, 2htr, 3tr, 1dtr)]

Next round Ch1 (does not count as st), dc2tog all around. [34 (36: 37: 39: 41) dc2tog]
Fasten off Yarn A, join Yarn E and ss in each st to complete round, do not fasten off. [34 (36: 37: 39: 41) ss]

Ribbing (see Pattern Notes)

Using Yarn E, ch10.

Row 1 Ch1, ss blo in second ch from hook and in each ch to end, ss across 2 sts of body, turn. [10 ss for rib]

Row 2 Ch1, sk 2 ss, ss blo in each st to end, turn.

Rep Rows 1-2 across cuff edge.

Neckband

Note: St counts are not given as row tension may not be matched exactly, so you may have more (or fewer) row ends.
Join shoulder seams.

Round 1 Using 5mm hook and Yarn D, join yarn to back neck at left shoulder seam, ch1 (does not count as st), 1dc in same st, 2dc around each tr row end and 1dc around each dc row end down left front, 1dc in each st across front, 2dc around each tr row end and 1dc around

each dc row end up right front, 1dc in marked st, 1dc in each st across back, ss in first dc to join.


Round 2 Ss in each st around to prevent neckline from sagging, ss in first ss.

TO FINISH

Block pieces. Mark a point 20 (21: 22: 23: 24) cm down from shoulder seam on Back and Front. Sew side seams to this point. Sew in Sleeves.



GARMENT MEASUREMENTS



Pattern copyright © Scheepjes.com. This pattern is available for unlimited personal use. You may print a copy of the pattern or keep a digital copy for personal use only. Do not reproduce this pattern or sell this pattern (either digitally or in print). This document may not be posted online, either as a complete document or in part. You are allowed to sell items that are made using this pattern as long as the designer is credited.